

NEW RELEASE - URETHANE KANDY KARRIER (UKK01)

UKK01 Urethane Kandy Karrier takes House of Kolor into the 21st century with state of the art polymer technology to produce a product that remains a solvent base system and meets the VOC's requirements coast to coast (including California). UKK01 can be applied as a medium solids Kandy (34% solids) or as a low solids Kandy (29% solids). Simply reduce and Catalyze the UKK01 and then add 2-4 ounces of any of House of Kolor's KK Kandy Concentrates to a ready to spray quart of UKK01 Urethane Kandy Karrier to produce the same vibrant Kandy Kolors as our current UK Kandy's.

KWIK-MIX REFERENCE GUIDE

KD3000 SERIES - KUSTOM DTS FOUNDATION SURFACER SEALERS

APPLICATION	MIX RATIO	PRIMER	ACTIVATOR	REDUCER
HIGH BUILD	4 : 1	4 parts KD3000	1 part KDA3000	N/A
MEDIUM BUILD	4 : 1 : 1	4 parts KD3000	1 part KDA3000	1 part RU Series
SEALER	4 : 1 : 2	4 parts KD3000	1 part KDA3000	2 parts RU Series

URETHANE SYSTEM - SS01 SILVER SEALER

SS01 SILVER SEALER	6 : 1	6 parts SS01	1 part KU152	N/A
--------------------	-------	--------------	--------------	-----

NOTE: SS01 may be tinted with Kandy Koncentrates (KK) for additional depth and color styling enhancements. Mix 10 parts activated SS01 to 1 part KK.

SHIMRIN2 BASECOATS



Online Kwik-Mix

Shimrin2 Standard and Kandy Basecoat formulas can be found through our Online Kwik-Mix Formula Retrieval System. Accurately mix thousands of Shimrin2 basecoats as well as KD3000 Series Formulas. Visit www.houseofkolor.com for details.

SHIMRIN2 KUSTOM KREATOR BASECOATS

APPLICATION	MIX RATIO	BASE AND EFFECT	REDUCER
KUSTOM KREATOR BASE	2 : 1	2 parts Kustom Kreator Kolor	1 part RU Series

Create your own kustom kolors. All S2 components are intermixable. Combine multiple Karrier Bases, FX Effect Pacs, KK Koncentrates, Flakes, Pearls, and more.

SHIMRIN2 KANDYS - USING UKK01 URETHANE KANDY KARRIER

APPLICATION	MIX RATIO	BASE	ACTIVATOR	REDUCER
LOW SOLID	4 : 1 : 2	4 parts UKK01	1 part KU152	2 parts RU Series
MEDIUM SOLID	4 : 1 : 1	4 parts UKK01	1 part KU152	1 part RU Series

Simplicity in design and application - begin your kandy job using the low solid mix for initial 2-3 coats. The low solid mixture will greatly reduce or eliminate kandy blotching, streaking, and general application errors. Finish your kandy job by applying the medium solid mixture to achieve desired depth and color strength. Kandys must be clearcoated with USC01 Kosmic Urethane Show Klear or any Kosmic Urethane Klear.

KLEAR COAT - USC01 KOSMIC URETHANE SHOW KLEAR

KLEAR	MIX RATIO	KLEAR	ACTIVATOR	REDUCER
USC01	3 : 1 : 1	3 parts USC01	1 part KU152	1 part RU Series

Increased productivity and speed of cure is achieved by adding AX02 Kosmic Kicker in the amount of 5% of mixture.